



2023  
LED LIGHT  
DEDICATE ON OUTDOOR LIGHTING



# CATALOG

江门市亮辉照明科技有限公司  
Jiangmen Lianghui Lighting Technology Co.,Ltd



 江门市亮辉照明科技有限公司  
Jiangmen Lianghui Lighting Technology Co.,Ltd

地址：广东省江门市江海区高新西路101号3幢

电话：+86 750 3762518 / 18575052022

网址：<http://www.jmlhled.com>

Add: Floor 1st & 3rd, Building No.3, NO.1 Gaoxinxi Road, Jianghai District, Jiangmen City, Guangdong Province, China

Tel: +86 750 3762518 / 18575052022

E-mail: [ceo@jmlhled.com](mailto:ceo@jmlhled.com) ( General Manager/总经理 )

<http://www.jmlhled.com>

# COMPANY PROFILE


Jiangmen Lianghai Lighting Technology Co., Ltd. is a high-tech enterprise specialized in R&D, design, production and sales of LED lamps. The production base is located in Jiangmen, which is a famous hometown of overseas Chinese, and the hinterland of the Pearl River Delta of economically developed region in China. The factory has modern workshop, advanced production equipment and testing equipment. The workshop covers an area of 5,000 square meters and has around 100 staff. The products are exported to home and abroad, and a perfect sales network is gradually established to meet the needs of all walks of life.

The main products of Lianghai Lighting include LED floodlight, LED street light and solar energy lighting etc. It is a professional lighting manufacturer with rich production experience, strong technical force, perfect processing facilities and strict quality management system. The company fully implements ISO9001 quality management system, put to use advanced photoelectric testing instruments, and have established their own LED testing & inspection center. Due to the continuous development of new products, fashion products, continuous pursuit of product improvement, the company has won the recognition of the majority of customers.

Lianghai Lighting adheres to the tenet of "Keeping Promise, Quality Excellent, seeking innovation", and has been advocating the development concept of "energy saving and low consumption, green and environmental protection", and is dedicated to the green earth and our green home. For your needs, we will make unremitting efforts to explore and pursue step by step, and we will always be with you to create a better future!



# SHOW ROOM





# DIRECTORY



## 投光灯系列

LED FLOOD LIGHTS

01~12

## 太阳能投光灯/路灯系列

LED Solar Flood/Street lights

26~36

## 路灯系列

LED STREET LIGHTS

13~20

## 太阳能一体化系列

ALL-IN-ONE SOLAR LIGHTS

37~42

## UFO系列

LED HIGH BAY LIGHTS

20~26

## 太阳能庭院灯系列

SOLAR GARDEN LIGHTS

43~44



# OUTDOOR LIGHT LED HIGH POWER FLOOD LIGHTS SERIES



## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**高强度**  
钢化圆角玻璃  
Tempered glass ,Bright  
robust and durable



Various applications areas:  
outdoor billboards, Factory, warehouse, Park

- **Model NO.:** LH-FL001
- **Material :** Die-casting aluminum + tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	10W	20W	30W	50W	100W	150W	200W	300W
Product size (mm)	100*30*80	120*30*90	160*30*120	230*30*165	285*38*200	340*38*245	360*45*270	430*44*340
PCS/CTN	60	60	40	20	10	10	5	5
Master Carton (cm)	38*37*22	44*37*24	42*38*30	44*25*35	47*30.5*21.5	57*35.5*25.5	38.5*34.5*29.5	45.5*34.5*37



## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**高强度**  
钢化直角玻璃  
Tempered glass ,Bright  
robust and durable



Various applications areas:  
outdoor billboards, Factory ,warehouse, Park

- **Model NO.:** LH-FL002
- **Material :** Die-casting aluminum + tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	10W	20W	30W	50W	100W	150W	200W	300W
Product size (mm)	102*80*28	120*95*32	161*121*32	202*156*38	250*195*43	322*231*38	385*281*43	425*305*40
PCS/CTN	60	60	40	20	10	10	5	5
Master Carton (cm)	38*37*22	41*37*24	37*36*30	46*42*19	47*29.5*23.5	47*35*26	41*29.5*31	46*29.5*34.5



## LED FLOOD LIGHT

**金属支架1.8M**  
高度可随意伸缩  
1.8 M of the metal pole can  
be adjusted freely



Parameters:

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



**国际插头**  
均可按需匹配  
International universal plugs  
can be matched as required



Various applications areas:  
Floodlight with wide beam , for various application areas

**高亮灯珠**  
低光衰寿命长  
Ultra-bright LED beads




- **Model NO.:** LH-ST001/ST002
- **Material :** Die-casting aluminum + tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	30W	2X30W	50W	2X50W	100W	2X100W	30W	50W	100W
Product size (mm)	800*800*1760	800*800*1760	800*800*1780	800*800*1780	800*800*1820	800*800*1820	230*45*240	275*50*280	335*50*320
PCS/CTN	1	1	1	1	1	1	10	10	10
Master Carton (cm)	92*23*16	92*23*16	92*23*16	92*23*16	99*27*14.5	99*27*14.5	57*24.5*27	62*29*29.5	62*35.5*36



## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**大发光面**  
增强散热面积  
Large luminous surface for faster  
heat dissipation



**高强度**  
钢化直角玻璃  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
outdoor billboards, Factory warehouse, Park

- **Model NO.:** LH-FL039
- **Material :** Die-casting aluminum + tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	10W	20W	30W	50W	70W	100W	150W	200W	300W	400W	500W	600W
Product size (mm)	105*86*28	118*93*28	160*120*29	204*145*29.5	237*177*29.5	269*209*29.5	334*229*31	378*277*32	433*318*32	488*328*39	592*328*39	696*328*43
PCS/CTN	50	50	50	40	40	40	20	20	20	5	5	4
Master Carton (cm)	52*19*25.5	57*19*28.5	69.5*19*36.5	38*33.5*45.5	39.5*38*51.5	46.5*38*58.5	50.5*38*36.5	60*39*41	68*39*46.5	50.5*25.5*35.5	61*25.5*35.5	71.5*22*35.5



## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**光学透镜**  
高透光 抗UV 抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
outdoor billboards, Factory warehouse, Park

- **Model NO.:** LH-FL040
- **Material :** Die-casting aluminum + PC Lens 90°+ Breather Valve
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	30W	50W	100W	150W	200W	300W	400W
Product size (mm)	123*148*23.8	205*160*25.5	270*210*25	329*248*25	378*280*25	425*315*27	470*360*28
PCS/CTN	40	20	20	10	10	5	5
Master Carton (cm)	35*30*31	47.5*36*20	60*36*25	36.5*36*29.5	41*37*32.5	46*19.5*35.5	51*20*40




## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**光学透镜**  
高透光 抗UV 抗摔性强  
Adopt optical lens, high light  
transmittance and anti-UV



Various applications areas:  
outdoor billboards, Factory warehouse, Park


- **Model NO.:** LH-FL036
- **Material :** Die-casting aluminum + PC Lens + Breather Valve
- **Product Solution:** Linear/DOB/Driver
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	50W	100W	200W	300W	400W
Product size (mm)	275*210*42	320*238*47	385*275*52	450*324*50	525*377*55
PCS/CTN	20	10	10	5	5
Master Carton (cm)	58*49.5*23	54*34.5*26	59*41*29.5	47*29.5*34.5	54.5*32*40

## LED FLOOD LIGHT

Projects priority

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**钢化玻璃+PC透镜**  
高透光 抗摔性强  
High-strength transparent  
tempered glass+PC lens, high light  
transmission, impact resistance



Various applications areas:  
outdoor billboards, Factory warehouse, Park

- **Model NO.:** LH-FL037
- **Material :** Die-casting aluminum + PC Lens + tempered glass + Breather Valve
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W	300W	400W
Product size (mm)	270*220*45	315*275*50	370*323*55	415*353*60	480*408*60	490*520*65
PCS/CTN	10	10	5	5	1	1
Master Carton (cm)	52*24*29	58*28.5*34	34*32*39	37.5*33.5*43.5	49*41.5*9	51.5*50.5*9.5

# LED HIGH POWER FLOOD LIGHT TUNNEL PROJECT PRIORITY



## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**压铸刀片散热**  
散热效果更快  
Die-casting blade integration  
efficient heat dissipation



**光学透镜 高透光**  
抗UV抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV




Various applications areas:  
Tunnel, Outdoor arenas, stadiums and Racing tracks, Plaza, Parking lots.

- **Model NO.:** LH-FL010
- **Material :** Die-casting aluminum + PC Lens
- **Product Solution:** Non-isolated/Isolated(The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	100W	200W	300W	400W	500W	600W	800W	1000W	1200W
Product size (mm)	400*100*180	400*205*180	400*305*180	400*410*180	400*515*180	765*305*180	765*410*180	765*515*180	765*620*180
PCS/CTN	1	1	1	1	1	1	1	1	1
Master Carton (cm)	41.5*11.5*15	41.5*22*15	41.5*32*15	41.5*42.5*15	41.5*53*15	78*32.5*15	78*42.5*15	78*53*15	78*63.5*15





## LED FLOOD LIGHT

Explosion-proof, dust-proof,  
drop-proof, High light uniformity

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather



Parameters:

**鳍片散热**  
更快导出灯体热量  
Die-casting integration, efficient  
heat dissipation



**光学透镜**  
轻便美观抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
Gas station


- **Model NO.:** LH-FL032
- **Material :** Die-casting aluminum + PC Lens + Breather Valve
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	194*350*115	280*350*115	366*350*115	452*350*115
PCS/CTN	1	1	1	1
Master Carton (cm)	40*21*15	40*30*15	40*38.5*15	47*40*15




## LED FLOOD LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof grade  
against bad weather




Parameters:

**鳍片散热**  
更快导出灯体热量  
Die-casting integration, efficient  
heat dissipation



Various applications areas:  
Tunnel, Outdoor arenas, stadiums and Racing tracks, Plaza, Parking lots.

**钢化玻璃+PC透镜**  
高透光 抗摔性强  
High-strength transparent  
tempered glass+PC lens, high light  
transmission, impact resistance



- **Model NO.:** LH-FL037
- **Material :** Die-casting aluminum + PC Lens + tempered glass
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	300W	400W	500W	600W	1000W	1200W
Product size (mm)	393.8*372*163	393.8*372*163	514.2*372*163	514.2*372*163	576.2*473*163	576.2*473*163
PCS/CTN	1	1	1	1	1	1
Master Carton (cm)	410*410*210	410*410*210	530*410*210	530*410*210	590*510*215	590*510*215

# LED STREET LIGHTS SERIES

Ultra-bright LED beads, heat dissipation, Small temperature rise



## LED STREET LIGHT

### Projects priority

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**压铸流线设计**  
散热更高效  
Die-casting integration  
efficient heat dissipation



**钢化玻璃+PC透镜**  
高透光 抗摔性强  
High-strength transparent  
tempered glass+PC lens, high light  
transmission, impact resistance



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL006
- **Material :** Die-casting aluminum + PC Lens+ tempered glass (Beam Angel:60°/90°/70°/140°)
- **Product Solution:** Non-isolated/Isolated(The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	400*166*85	490*210*85	550*240*90	645*287*90
PCS/CTN	1	1	1	1
Master Carton (cm)	41.5*21.5*12	50.5*24*12	56.5*27*12.5	66*30.5*12.5




## LED STREET LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**超薄壳体**  
节省运输空间  
Ultra-thin lamp body saves  
transportation space



**高亮度**  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL019
- **Material :** Die-casting aluminum + PC Lens(Beam Angel:70\*140°)
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	410*140*50	460*150*60	540*185*60	651*211*60
PCS/CTN	10	10	5	5
Master Carton (cm)	43*29.5*31	48*34.5*33	56*34.5*20.5	67*34.5*23

## LED STREET LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**光学透镜**  
高透光 抗UV  
Adopt optical lens, high light  
transmittance and anti-UV



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL005
- **Material :** Die-casting aluminum + PC Lens(Beam Angel:70\*140°)
- **Product Solution:** Linear/DOB/Driver
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	400*165*85	489*205*85	563*240*85	619*268*85
PCS/CTN	10	10	5	5
Master Carton (cm)	47*42.5*36	51.5*47*44	58.5*47*26	64.5*47*29



## LED STREET LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**高亮度**  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL001
- **Material :** Die-casting aluminum + Glass optical lens
- **Product Solution:** Driver
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W	250W
Product size (mm)	500*210*65	720*270*80	860*330*80	950*330*80	1100*335*80
PCS/CTN	1	1	1	1	1
Master Carton (cm)	51.5*22*9	73.5*29.5*9	87.5*33.5*9	97*34.5*9	111.5X34.5X9.5



## LED STREET LIGHT

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**高亮度**  
经济型爆款  
Hot-sale  
Ultra bright LED beads



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL003
- **Material :** Die-casting aluminum + PC Lens (Beam Angel:70\*140°)
- **Product Solution:** Linear/DOB/ Driver
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	20W	30W	50W	100W	150W	200W
Product size (mm)	300*115*40	300*125*40	398*139*50	525*183*50	625*188*50	650*220*50
PCS/CTN	25	25	10	10	5	5
Master Carton (cm)	65X24.5X32.5	69.5*24.5*32.5	42X29.5X30.6	55X29.5X42.2	64.5X37X21.5	67*37*24.5



## LED STREET LIGHT

**可调支臂**  
最大可调90°  
The angle of the arm can be adjustable to 90° max



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**高亮度**  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL018
- **Material :** Die-casting aluminum + PC Lens (Beam Angel:/70°\*140°)
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	410*140*50	460*150*60	540*185*60	651*211*60
PCS/CTN	10	10	5	5
Master Carton (cm)	50*49.5*29.5	54.5*49.5*34	61*49.5*20.5	68*49.5*22.5



## LED STREET LIGHT

Projects priority

**可调支臂**  
最大可调90°  
The angle of the arm can be adjustable to 90° max



Parameters:

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum  
material efficient heat  
dissipation



**钢化玻璃+PC透镜**  
高透光 抗摔性强  
High-strength transparent tempered  
glass+PC lens, high light transmission  
impact resistance



Various applications areas:  
Roadway, Highway, Country side.

- **Model NO.:** LH-SL020
- **Material :** Die-casting aluminum + PC Lens+ tempered glass (Beam Angel:70°\*140°)
- **Product Solution:** Non-isolated/ Isolated(The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	520*200*90	570*220*90	640*240*90	670*290*90
PCS/CTN	1	1	1	1
Master Carton (cm)	43*25*15	48*27*15	55*29*15	58*33.5*15

# OUTDOOR LIGHT LED HIGH BAY SERIES

High brightness without glare, Longlife, Quality is top priority!



## UFO HIGH BAY

支架/吊链安装  
可选配铝罩  
Bracket mounting / Chain hanging  
aluminum cover are optional



旋风风格设计  
增强空气对流散热更佳  
Cyclone style design  
efficient heat dissipation



光学环形透镜  
抗UV抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV



Parameters:

Various applications areas:  
Factory, warehouse

- Model NO.: LH-HB014
- Material : Die-casting aluminum + PC Lens+ (Beam Angel:120°)
- Product Solution: Non-isolated/ Isolated
- Voltage Range : AC100V-265V

Wattage	100W	150W	200W
Product size (mm)	229*229*112	272*272*114	315*315*116
PCS/CTN	1	1	1
Master Carton (cm)	23.5*23.5*14.5	28*28*14.5	33*33*14.5



## UFO HIGH BAY

**支架/吊链安装  
可选配铝罩**  
Bracket mounting / Chain hanging  
aluminum cover are optional



Parameters:

**超薄壳体  
节省运输空间**  
Ultra-thin lamp body saves  
transportation space



**光学透镜  
抗UV抗摔性强**  
Adpot optical lens, high light  
transmittance and anti-UV




Various applications areas:  
Factory, warehouse

- **Model NO.:** LH-HB010
- **Material :** Die-casting aluminum + PC Lens+ (Beam Angel:120°)
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	100W	150W	200W	300W
Product size (mm)	Φ256*32	Φ296*32	Φ358*32	Φ410*32
PCS/CTN	10	10	10	5
Master Carton (cm)	42*27.5*27.5	42*31.5*31.5	42*38*38	43*22*43


## UFO HIGH BAY

**IP65  
无惧应对恶劣天气**  
Dustproof and waterproof  
grade against bad weather



Parameters:

**超薄壳体  
节省运输空间**  
Ultra-thin lamp body saves  
transportation space



**光学透镜  
抗UV抗摔性强**  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
Factory, warehouse


- **Model NO.:** LH-HB015
- **Material :** Die-casting aluminum + PC Lens (Beam Angel:90°)
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC 220V-240V/ AC100V-265V

Wattage	100W	150W	200W
Product size (mm)	262*262*35	295*295*35	325*325*35
PCS/CTN	10	10	10
Master Carton (cm)	42*28*28	42*31.5*31.5	42*34.5*34.5



## UFO HIGH BAY

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**超薄壳体**  
节省运输空间  
Ultra-thin lamp body saves  
transportation space



**光学环形透镜**  
抗UV抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
Factory, warehouse


- **Model NO.:** LH-HB017
- **Material :** Die-casting aluminum + PC Lens
- **Product Solution:** Linear/DOB
- **Voltage Range :** AC100V-265V

Wattage	100W	150W	200W
Product size (mm)	265*265*35	310*310*35	340*340*35
PCS/CTN	10	10	10
Master Carton (cm)	34*34*13	34*34*13	34*34*13



## UFO HIGH BAY

**IP65**  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



Parameters:

**高效散热**  
采用ADC12压铸成型  
Adopt ADC12 aluminum material  
efficient heat dissipation



**光学环形透镜**  
抗UV抗摔性强  
Adpot optical lens, high light  
transmittance and anti-UV



Various applications areas:  
Factory, warehouse

- **Model NO.:** LH-HB016
- **Material :** Die-casting aluminum + PC Lens
- **Product Solution:** Non-isolated/ Isolated
- **Voltage Range :** AC100V-265V

Wattage	100W	150W	200W	250W
Product size (mm)	260*260*110	300*300*110	335*335*110	370*370*110
PCS/CTN	1	1	1	1
Master Carton (cm)	34*34*13	34*34*13	38*38*13	42*42*14



# OUTDOOR LIGHT LED LIGHTING SERIES

Now you can add light virtually anywhere and provide years of efficient, maintenance-free lighting for off- electrical grid applications



Ultra-bright  
LED beads



Solar  
Charging



Rapid heat  
dissipation



Waterproof







## SOLAR LIGHT

Easy Installation for any off-grid application areas

高容量电池  
经久耐用  
Huge capacity battery

照射面积  
Irradiation area

高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Parameters:

Various applications areas:  
Roadway, Country side, emergency light.

- Model NO.: LH-SFL001
- Material : Die-casting aluminum/ABS+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	25W	40W	60W	100W	200W	300W
Product size (mm)	193*146*50	227*180*50	255*208*65	300*250*75	335*270*80	397*310*85
PCS/CTN	20	20	10	5	5	5
Master Carton (cm)	57*41.5*17.5	62*48.5*21.5	354*37*24	42*32*28	47*35.5*30	47.5*42*34



## SOLAR LIGHT

Easy Installation for any off-grid application areas

高容量电  
池经久耐用  
Huge capacity battery

照射面积  
Irradiation area

高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Parameters:

Various applications areas:  
Roadway, Country side, emergency light.

- Model NO.: LH-SFL002
- Material : ABS+ PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H


Wattage	30W	50W	100W	150W	200W
Product size (mm)	176*140*50	176*140*50	205*170*50	250*190*50	305*250*50
PCS/CTN	40	40	20	10	10
Master Carton (cm)	57*38*31	57*38*31	44*29.5*37	53*29.5*21	57*32.5*27



## SOLAR LIGHT


Easy Installation for any off-grid application areas

高容量电池  
经久耐用  
Huge capacity battery



Parameters:

照射面积  
Irradiation area



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Country side, emergency light.


- Model NO.: LH-SFL004
- Material : Die-casting aluminum+tempered glass
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	100W	150W	200W	300W
Product size (mm)	195*178*55	242*200*55	300*240*55	373*265*55
PCS/CTN	20	10	10	5
Master Carton (cm)	42X34.5X41	52X32X23	64X34.5X28.5	39.5X37X30.5

## SOLAR LIGHT


Easy Installation for any off-grid application areas

高容量电池  
经久耐用  
Huge capacity battery



Parameters:

照射面积  
Irradiation area



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Country side, emergency light.

- Model NO.: LH-SFL007
- Material : ABS+ PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	30W	100W	200W	300W	400W
Product size (mm)	165*185*50	200*250*55	255*300*55	305*350*55	393*430*60
PCS/CTN	20	10	5	5	5
Master Carton (cm)	36*29.5*40	43*32*27	37*27.5*32	37*32.5*37	41.5*34.5*45



## SOLAR LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:


IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高效散热  
采用ADC12压铸成型  
Adopt ADC12 aluminum  
material, efficient heat  
dissipation



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span




Various applications areas:  
Roadway, Country side, emergency light.

- **Model NO.:** LH-SST001
- **Material :** Die-casting aluminum+PC Lens+Hardware tools
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range :** Intelligent light control+Remote control
- **Charging time :** 4-6H **Discharging time:** 10-12H

Wattage	30W	50W	100W	200W	300W
Product size (mm)	390*140*60	500*220*70	500*220*70	500*220*70	500*220*70
PCS/CTN	10	10	10	5	5
Master Carton (cm)	43*37*34	52*37*50	52*37*50	52*37*24	52*37*24


## SOLAR LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高效散热  
采用ADC12压铸成型  
Adopt ADC12 aluminum  
material, efficient heat  
dissipation



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Country side, emergency light.


- **Model NO.:** LH-SST005
- **Material :** Die-casting aluminum+PC Lens+Hardware tools
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range :** Intelligent light control+Remote control
- **Charging time :** 4-6H **Discharging time:** 10-12H

Wattage	60W	120W	240W
Product size (mm)	495*213*55	495*213*55	600*250*80
PCS/CTN	1	1	1
Master Carton (cm)	51*22.5*9	51*22.5*9	61.5*26.5*11.5



## SOLAR LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:

高效散热  
采用ADC12压铸成型  
Adopt ADC12 aluminum material, efficient heat dissipation



高亮度  
低光衰寿命长  
Ultra-bright LED beads long life span



Various applications areas:  
Roadway, Country side, emergency light.


- **Model NO.:** LH-SL-SST006
- **Material :** Die-casting aluminum+PC Lens+Hardware tools
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range :** Intelligent light control+Remote control
- **Charging time :** 4-6H **Discharging time:** 10-12H

Wattage	200W
Product size (mm)	600*250*82
PCS/CTN	1
Master Carton (cm)	61.5*26.5*10.5



## SOLAR LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:

高效散热  
采用ADC12压铸成型  
Adopt ADC12 aluminum material, efficient heat dissipation



扇形发光  
照射面更广  
Unique design with wider irradiation area



Various applications areas:  
Roadway, Country side, emergency light.

- **Model NO.:** LH-SST007
- **Material :** Die-casting aluminum+PC Lens+Hardware tools
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range :** Intelligent light control+Remote control
- **Charging time :** 4-6H **Discharging time:** 10-12H


Wattage	200	300
Product size (mm)	520*200*90	550*230*90
PCS/CTN	10	5
Master Carton (cm)	49.5*43.5*54.5	57.5*49.5*25.5

# LED ALL-IN-ONE SOLAR LIGHTS



## SOLAR LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Backyard, Garden, Park.


- Model NO.: LH-ISSL013
- Material : ABS+tempered glass
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	80W	100W	180W	210W
Product size (mm)	590*251*60	680*270*70	590*251*60	680*270*70
PCS/CTN	5	5	5	5
Master Carton (cm)	61*34.5*27	70*39.5*29	61*34.5*27	70*39.5*29



## SOLAR LIGHT

高容量电池  
经久耐用  
Huge capacity battery




Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



扇形发光,照射面更广  
Unique design with  
wider irradiation area



Various applications areas:  
Roadway, Country side, emergency light.


- Model NO.: LH-ISSL003
- Material : Die-casting aluminum+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	180W	240W	300W
Product size (mm)	447*342*70	597*342*70	677*342*75
PCS/CTN	5	5	5
Master Carton (cm)	48*37*42	63*37*42	71*37*43



## SOLAR LIGHT

高容量电池  
经久耐用  
Huge capacity battery




Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Country side, emergency light.


- Model NO.: LH-ISS2013
- Material : Die-casting aluminum+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	30W	60W	90W	120W	150W
Product size (mm)	390*95*62	485*220*62	620*240*62	720*240*62	820*240*62
PCS/CTN	10	10	5	5	5
Master Carton (cm)	41*35.5*22	50.5*35.5*47	64*35.5*26	74*35.5*26	84*35.5*26



## SOLAR LIGHT

高容量电池  
经久耐用  
Huge capacity battery




Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span




Various applications areas:  
Roadway, Country side, emergency light.

- Model NO.: LH-ISSL005
- Material : Die-casting aluminum+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H (2-3 Rainy days)

Wattage	100W	150W	200W
Product size (mm)	710*220*122	910*200*122	1100*220*122
PCS/CTN	2	2	2
Master Carton (cm)	870*240*220	1080*290*220	1280*350*220


## SOLAR LIGHT

支臂可调角度  
最大可调180°  
The angle of the arm  
can be adjustable to  
180° max




Parameters:

高容量电池,经久耐用  
Huge capacity battery



IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Roadway, Country side, emergency light.

- Model NO.: LH-ISSL006
- Material : Die-casting aluminum+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H (2-3 Rainy days)

Wattage	300W	400W	500W
Product size (mm)	887*400*180	1160*400*180	1435*400*180
PCS/CTN	1	1	1
Master Carton (cm)	103.5*45*11.5	131*45*11.5	158.5*45*11.5




# LED SOLAR GARDEN LIGHTS




## SOLAR GARDEN LIGHT

大容量电池  
经久耐用  
Huge capacity battery



Parameters:

IP65  
无惧应对恶劣天气  
Dustproof and waterproof  
grade against bad weather



高亮度  
低光衰寿命长  
Ultra-bright LED beads  
long life span



Various applications areas:  
Backyard, Garden, Park.

- Model NO.: LH-SGL002
- Material : Die-casting aluminum+PC Lens
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	150W	200W	250W
Product size (mm)	437*437*123	410*410*122	572*572*123
PCS/CTN	5	5	5
Master Carton (cm)	67*44*44	67*44*44	67*57*57